ELSEVIER

Brain Research 859 (2000) 410–412

BRAIN RESEARCH

www.elsevier.com/locate/bres

Author Index

Abe, K., see Wang, J.M. (859) 381
Adlercreutz, H., see Lephart, E.D. (859) 123
Aït-Oubah, J., see Armengaud, C. (859) 390
Akiguchi, I., see Matsuo, A. (859) 57
Alper, R.H., see Mize, A.L. (859) 326
Andreassen, O.A., see Petersen, R. (859) 394
Andrews, N., Davis, B., Gonzalez, M.I., Oles, R., Singh, L. and McKnight, A.T.
Effect of gastrin-releasing peptide on rat hippocampal extracellular GABA levels and seizures in the audiogenic seizure-prone DBA/2 mouse (859) 386
Arai, R., see Kishimoto, Y. (859) 373
Armengaud, C., Causse, N., Aït-Oubah, J., Ginolhac, A. and Gauthier, M.
Functional cytochrome oxidase histochemistry in the honeybee brain (859) 390
Armstead, W.M.
Altered release of prostaglandins contributes to hypoxic/ischemic impairment of NOC/oFQ cerebrovasodilation (859) 104

Balduini, W., De Angelis, V., Mazzoni, E. and Cimino, M.
Long-lasting behavioral alterations following a hypoxic/ischemic brain injury in neonatal rats (859) 318
Barona, M.L., see Komisaruk, B.R. (859) 262
Bennett, A.D., Everhart, A.W. and Hulsebosch, C.E.
Intrathecal administration of an NMDA or a non-NMDA receptor antagonist reduces mechanical but not thermal allodynia in a rodent model of chronic central pain after spinal cord injury (859) 72
Bennett, S.A.L., see Davidson, C.M. (859) 96
Biello, M., see Ferchmin, P.A. (859) 273
Bodega, G., see Suárez, I. (859) 293
Botting, S.K., see McCool, B.A. (859) 341
Brückner, C. and Heinemann, U.
Effects of standard anticonvulsant drugs on different patterns of epileptiform discharges induced by 4-aminopyridine in combined entorhinal cortex–hippocampal slices (859) 15

Cao, Z., Lickey, M.E., Liu, L., Kirk, E. and Gordon, B.
Postnatal development of NR1, NR2A and NR2B immunoreactivity in the visual cortex of the rat (859) 26
Causse, N., see Armengaud, C. (859) 390
Challet, E., Takahashi, J.S. and Turek, F.W.
Nonphotic phase-shifting in *Clock* mutant mice (859) 398
Chase, T.N., see Nakai, M. (859) 207
Chinapen, S., see Komisaruk, B.R. (859) 262
Cimino, M., see Balduini, W. (859) 318
Clark, R., see Guan, J. (859) 286
Covey, W.C., Ignatowski, T.A., Knight, P.R. and Spengler, R.N.
Brain-derived TNFα: involvement in neuroplastic changes implicated in the conscious perception of persistent pain (859) 113

Davidson, C.M., Pappas, B.A., Stevens, W.D., Fortin, T. and Bennett, S.A.L.
Chronic cerebral hypoperfusion: loss of pupillary reflex, visual impairment and retinal neurodegeneration (859) 96
Davis, B., see Andrews, N. (859) 386
Deak, T., see Nguyen, K.T. (859) 193
De Angelis, V., see Balduini, W. (859) 318
Del Cerro, M.C.R., see Komisaruk, B.R. (859) 262
DiNardo, L.A., see Glass, J.D. (859) 224
Dong, H.-W., Petrovich, G.D. and Swanson, L.W.
Organization of projections from the juxtacapsular nucleus of the BST: a PHAL study in the rat (859) 1
Du, J., Sudo, T., Sakuma, Y. and Kato, M.
Angiotensin II increases intracellular Ca^{2+} concentration in folliculo-stellate cells of the rat anterior pituitary in primary culture (859) 167

Ehlen, J.C., see Glass, J.D. (859) 224
Enomoto, H., see Terao, Y. (859) 137
Everhart, A.W., see Bennett, A.D. (859) 72

Faingold, C.L., see N'Gouemo, P. (859) 311
Faull, R.L.M., see Guan, J. (859) 286
Ferchmin, P.A., Pérez, D. and Biello, M.
Spermine is neuroprotective against anoxia and *N*-methyl-D-aspartate in hippocampal slices (859) 273
Fernández, B., see Suárez, I. (859) 293
Fink, S.L., Ho, D.Y., McLaughlin, J. and Sapolsky, R.M.
An adenoviral vector expressing the glucose transporter protects cultured striatal neurons from 3-nitropropionic acid (859) 21
Finsen, B., see Petersen, R. (859) 394
Fisk, G.D. and Wyss, J.M.
Descending projections of infralimbic cortex that mediate stimulation-evoked changes in arterial pressure (859) 83
Fleshner, M., see Nguyen, K.T. (859) 193
Fortin, T., see Davidson, C.M. (859) 96
Furubayashi, T., see Terao, Y. (859) 137
Furuya, H., see Yoshikawa, M. (859) 217

Gao, Y., Ng, Y.-K., Lin, J.-Y. and Ling, E.-A.
Expression of immunoregulatory cytokines in neurons of the lateral hypothalamic area and amygdaloid nuclear complex of rats immunized against human IgG (859) 364
Gauthier, M., see Armengaud, C. (859) 390
Geffard, M., see Kishimoto, Y. (859) 373
Ginolhac, A., see Armengaud, C. (859) 390
Gispen, W.H., see Lankhorst, A.J. (859) 334
Gjerstad, J., Tjølsen, A., Svendsen, F. and Hole, K.
Inhibition of spinal nociceptive responses after intramuscular injection of capsaicin involves activation of noradrenergic and opioid systems (859) 132
Glass, J.D., DiNardo, L.A. and Ehlen, J.C.
Dorsal raphe nuclear stimulation of SCN serotonin release and circadian phase-resetting (859) 224
Gluckman, P., see Guan, J. (859) 286
Gonzalez, M.I., see Andrews, N. (859) 386
Gordon, B., see Cao, Z. (859) 26
Goto, K., see Yamanaka, A. (859) 404
Guan, J., Krishnamurthi, R., Waldvogel, H.J., Faull, R.L.M., Clark, R. and Gluckman, P.
N-terminal tripeptide of IGF-1 (GPE) prevents the loss of TH positive neurons after 6-OHDA induced nigral lesion in rats (859) 286

Hall, S.R., see Sullivan, M.E. (859) 45
Hamers, F.P.T., see Lankhorst, A.J. (859) 334
Hanajima, R., see Terao, Y. (859) 137
Hansen, M.K., see Nguyen, K.T. (859) 193
Harada, A., see Honda, K. (859) 38
Hashi, K., see Nonaka, T. (859) 280
Hatanaka, H., see Yoshikawa, M. (859) 217
Hauss-Wegrzyniak, B., Vannucchi, M.G. and Wenk, G.L.
Behavioral and ultrastructural changes induced by chronic neuroinflammation in young rats (859) 157
Hayashi, T., see Wang, J.M. (859) 381
Heinemann, U., see Brückner, C. (859) 15
Hiramatsu, M. and Inoue, K.
Des-tyrosine[1] dynorphin A-(2–13) improves carbon monoxide-induced impairment of learning and memory in mice (859) 303

Hirano, M., see Yoshikawa, M. (859) 217
Hirbec, H., Teilhac, J.-R., Kamenka, J.-M., Privat, A. and Vignon, J.
Binding properties of [^{3}H]gacyclidine (*cis*(pip/me)-1-[1-(2-thienyl)-2-methylcyclohexyl]piperidine) enantiomers in the rat central nervous system (859) 177
Ho, D.Y., see Fink, S.L. (859) 21
Ho, D.Y., see Phillips, R.G. (859) 202
Hole, K., see Gjerstad, J. (859) 132
Honda, K., Harada, A., Takano, Y. and Kamiya, H.-o.
Involvement of M_3 muscarinic receptors of the spinal cord in formalin-induced nociception in mice (859) 38
Honmou, O., see Nonaka, T. (859) 280
Hulsebosch, C.E., see Bennett, A.D. (859) 72
Hunsaker, B.N., see Nguyen, K.T. (859) 193

Ignatowski, T.A., see Covey, W.C. (859) 113
Ikuta, F., see Kakita, A. (859) 233
Inoue, K., see Hiramatsu, M. (859) 303
Iwata, N.K., see Terao, Y. (859) 137

Jhamandas, K., see Sullivan, M.E. (859) 45
Johnson, B.M., see Komisaruk, B.R. (859) 262
Jørgensen, H.A., see Petersen, R. (859) 394

Kaehler, S.T., Singewald, N., Sinner, C., Thurnher, C. and Philippu, A.
Conditioned fear and inescapable shock modify the release of serotonin in the locus coeruleus (859) 249
Kakita, A., Wakabayashi, K., Su, M., Sakamoto, M., Ikuta, F. and Takahashi, H.
Distinct pattern of neuronal degeneration in the fetal rat brain induced by consecutive transplacental administration of methylmercury (859) 233
Kamenka, J.-M., see Hirbec, H. (859) 177
Kamiya, H.-o., see Honda, K. (859) 38
Kanazawa, I., see Terao, Y. (859) 137
Kanemura, F., see Sakurai, N. (859) 369
Kato, M., see Du, J. (859) 167
Kikuchi, H., see Yanamoto, H. (859) 240
Kirk, E., see Cao, Z. (859) 26
Kishimoto, Y., Geffard, M. and Arai, R.
Catecholamine degradation by monoamine oxidase in locus coeruleus neurons of the rat. An immunohistochemical study (859) 373
Knight, P.R., see Covey, W.C. (859) 113
Kocsis, J.D., see Nonaka, T. (859) 280
Komisaruk, B.R., Rosenblatt, J.S., Barona, M.L., Chinapen, S., Nissanov, J., O'Bannon III, R.T., Johnson, B.M. and Del Cerro, M.C.R.
Combined c-*fos* and ^{14}C-2-deoxyglucose method to differentiate site-specific excitation from disinhibition: analysis of maternal behavior in the rat (859) 262
Kretschmer, B.D.
NMDA receptor antagonist-induced dopamine release in the ventral pallidum does not correlate with motor activation (859) 147
Krishnamurthi, R., see Guan, J. (859) 286
Kumano, T., Mutoh, T., Nakagawa, H. and Kuriyama, M.
HMG-CoA reductase inhibitor induces a transient activation of high affinity nerve growth factor receptor, Trk, and morphological differentiation with fatal outcome in PC12 cells (859) 169
Kunii, K., see Yamanaka, A. (859) 404
Kuriyama, M., see Kumano, T. (859) 169

Lankhorst, A.J., Ter Laak, M.P., Hamers, F.P.T. and Gispen, W.H.
Combined treatment with α MSH and methylprednisolone fails to improve functional recovery after spinal injury in the rat (859) 334
Lawrence, M.S., see Phillips, R.G. (859) 202
Lephart, E.D., Thompson, J.M., Setchell, K.D.R., Adlercreutz, H. and Weber, K.S.
Phytoestrogens decrease brain calcium-binding proteins but do not alter hypothalamic androgen metabolizing enzymes in adult male rats (859) 123
Lickey, M.E., see Cao, Z. (859) 26
Lin, J.-Y., see Gao, Y. (859) 364
Ling, E.-A., see Gao, Y. (859) 364
Liu, L., see Cao, Z. (859) 26
Lundeberg, T., see Wang, J.-Z. (859) 361
Lundeberg, T., see Xu, S.-L. (859) 358

Machii, K., see Terao, Y. (859) 137
Maier, S.F., see Nguyen, K.T. (859) 193
Martínez Banaclocha, M.
N-Acetylcysteine elicited increase in complex I activity in synaptic mitochondria from aged mice: implications for treatment of Parkinson's disease (859) 173
Matsuo, A., Nakamura, S. and Akiguchi, I.
Immunohistochemical localization of glial cell line-derived neurotrophic factor family receptor α-1 in the rat brain: confirmation of expression in various neuronal systems (859) 57
Matsuzaki, I., see Yamanaka, A. (859) 404
Mazzoni, E., see Balduini, W. (859) 318
McCool, B.A. and Botting, S.K.
Characterization of strychnine-sensitive glycine receptors in acutely isolated adult rat basolateral amygdala neurons (859) 341
McKnight, A.T., see Andrews, N. (859) 386
McLaughlin, J., see Fink, S.L. (859) 21
Milne, B., see Sullivan, M.E. (859) 45
Miwa, Y., see Yamanaka, A. (859) 404
Mize, A.L. and Alper, R.H.
Acute and long-term effects of 17β-estradiol on $G_{i/o}$ coupled neurotransmitter receptor function in the female rat brain as assessed by agonist-stimulated [^{35}S]GTPγS binding (859) 326
Mochizuki, H., see Terao, Y. (859) 137
Mutoh, T., see Kumano, T. (859) 169

Nabeshima, T., see Shiotani, T. (859) 255
Nagata, I., see Yanamoto, H. (859) 240
Nakagawa, H., see Kumano, T. (859) 169
Nakai, M., Qin, Z.-H., Wang, Y. and Chase, T.N.
NMDA and non-NMDA receptor-stimulated IκB-α degradation: differential effects of the caspase-3 inhibitor DEVD · CHO, ethanol and free radical scavenger OPC-14117 (859) 207
Nakamoto, Y., see Shiotani, T. (859) 255
Nakamura, S., see Matsuo, A. (859) 57
Nakayama, H., see Yoshikawa, M. (859) 217
Nambu, T., see Yamanaka, A. (859) 404
Ng, Y.-K., see Gao, Y. (859) 364
N'Gouemo, P. and Faingold, C.L.
Phenytoin administration reveals a differential role of pontine reticular formation and periaqueductal gray neurons in generation of the convulsive behaviors of audiogenic seizures (859) 311
Nguyen, K.T., Deak, T., Will, M.J., Hansen, M.K., Hunsaker, B.N., Fleshner, M., Watkins, L.R. and Maier, S.F.
Timecourse and corticosterone sensitivity of the brain, pituitary, and serum interleukin-1β protein response to acute stress (859) 193
Nissanov, J., see Komisaruk, B.R. (859) 262
Nonaka, T., Honmou, O., Sakai, J., Hashi, K. and Kocsis, J.D.
Excitability changes of dorsal root axons following nerve injury: implications for injury-induced changes in axonal Na^+ channels (859) 280

O'Bannon III, R.T., see Komisaruk, B.R. (859) 262
Okada, S., see Takeda, A. (859) 352
Oku, N., see Takeda, A. (859) 352
Oles, R., see Andrews, N. (859) 386

Pappas, B.A., see Davidson, C.M. (859) 96
Pérez, D., see Ferchmin, P.A. (859) 273
Petersen, R., Finsen, B., Andreassen, O.A., Zimmer, J. and Jørgensen, H.A.
No changes in dopamine D_1 receptor mRNA expressing neurons in the dorsal striatum of rats with oral movements induced by long-term haloperidol administration (859) 394
Petrovich, G.D., see Dong, H.-W. (859) 1
Philippu, A., see Kaehler, S.T. (859) 249
Phillips, R.G., Lawrence, M.S., Ho, D.Y. and Sapolsky, R.M.
Limitations in the neuroprotective potential of gene therapy with Bcl-2 (859) 202
Popper, P., see Wackym, P.A. (859) 378
Privat, A., see Hirbec, H. (859) 177

Qin, Z.-H., see Nakai, M. (859) 207

Rosenblatt, J.S., see Komisaruk, B.R. (859) 262

Sakai, A., see Yamanaka, A. (859) 404
Sakai, H., see Yanamoto, H. (859) 240
Sakai, J., see Nonaka, T. (859) 280
Sakai, K., see Wang, J.M. (859) 381
Sakamoto, M., see Kakita, A. (859) 233
Sakata, M., see Yanamoto, H. (859) 240

Sakuma, Y., see Du, J. (859) 167
Sakurai, N., Kanemura, F., Watanabe, K., Shimizu, Y. and Tonosaki, K.
Effects of acids on neural activity elicited by other taste stimuli in the rat chorda tympani (859) 369
Sakurai, T., see Yamanaka, A. (859) 404
Sapolsky, R.M., see Fink, S.L. (859) 21
Sapolsky, R.M., see Phillips, R.G. (859) 202
Setchell, K.D.R., see Lephart, E.D. (859) 123
Shiio, Y., see Terao, Y. (859) 137
Shimizu, Y., see Sakurai, N. (859) 369
Shiotani, T., Nakamoto, Y., Watabe, S., Yoshii, M. and Nabeshima, T.
Anticonvulsant actions of nefiracetam on epileptic EL mice and their relation to peripheral-type benzodiazepine receptors (859) 255
Shiro, Y., see Wang, J.M. (859) 381
Singewald, N., see Kaehler, S.T. (859) 249
Singh, L., see Andrews, N. (859) 386
Sinner, C., see Kaehler, S.T. (859) 249
Spengler, R.N., see Covey, W.C. (859) 113
Stevens, W.D., see Davidson, C.M. (859) 96
Su, M., see Kakita, A. (859) 233
Suárez, I., Bodega, G. and Fernández, B.
Modulation of glutamate transporters (GLAST, GLT-1 and EAAC1) in the rat cerebellum following portocaval anastomosis (859) 293
Sudo, T., see Du, J. (859) 167
Sullivan, M.E., Hall, S.R., Milne, B. and Jhamandas, K.
Suppression of acute and chronic opioid withdrawal by a selective soluble guanylyl cyclase inhibitor (859) 45
Svendsen, F., see Gjerstad, J. (859) 132
Swanson, L.W., see Dong, H.-W. (859) 1

Takahashi, H., see Kakita, A. (859) 233
Takahashi, J.S., see Challet, E. (859) 398
Takano, Y., see Honda, K. (859) 38
Takeda, A., Takefuta, S., Okada, S. and Oku, N.
Relationship between brain zinc and transient learning impairment of adult rats fed zinc-deficient diet (859) 352
Takefuta, S., see Takeda, A. (859) 352
Teilhac, J.-R., see Hirbec, H. (859) 177
Terao, Y., Ugawa, Y., Hanajima, R., Machii, K., Furubayashi, T., Mochizuki, H., Enomoto, H., Shiio, Y., Uesugi, H., Iwata, N.K. and Kanazawa, I.
Predominant activation of I1-waves from the leg motor area by transcranial magnetic stimulation (859) 137
Ter Laak, M.P., see Lankhorst, A.J. (859) 334
Thompson, J.M., see Lephart, E.D. (859) 123
Thurnher, C., see Kaehler, S.T. (859) 249
Tjølsen, A., see Gjerstad, J. (859) 132
Tohnai, N., see Yanamoto, H. (859) 240
Tonosaki, K., see Sakurai, N. (859) 369
Troyanovskaya, M., see Wackym, P.A. (859) 378
Tsujino, N., see Yamanaka, A. (859) 404
Turek, F.W., see Challet, E. (859) 398

Ueno, S., see Yoshikawa, M. (859) 217
Uesugi, H., see Terao, Y. (859) 137
Ugawa, Y., see Terao, Y. (859) 137

Vannucchi, M.G., see Hauss-Wegrzyniak, B. (859) 157
Vignon, J., see Hirbec, H. (859) 177

Wackym, P.A., Troyanovskaya, M. and Popper, P.
Adenylyl cyclase isoforms in the vestibular periphery of the rat (859) 378
Wakabayashi, K., see Kakita, A. (859) 233
Waldvogel, H.J., see Guan, J. (859) 286
Wang, J.-Z., Lundeberg, T. and Yu, L.-C.
Antinociceptive effects induced by intra-periaqueductal grey administration of neuropeptide Y in rats (859) 361
Wang, J.M., Hayashi, T., Zhang, W.R., Sakai, K., Shiro, Y. and Abe, K.
Reduction of ischemic brain injury by topical application of insulin-like growth factor-I after transient middle cerebral artery occlusion in rats (859) 381
Wang, Y., see Nakai, M. (859) 207
Watabe, S., see Shiotani, T. (859) 255
Watanabe, K., see Sakurai, N. (859) 369
Watkins, L.R., see Nguyen, K.T. (859) 193
Weber, K.S., see Lephart, E.D. (859) 123
Wenk, G.L., see Hauss-Wegrzyniak, B. (859) 157
Will, M.J., see Nguyen, K.T. (859) 193
Wyss, J.M., see Fisk, G.D. (859) 83

Xu, S.-L., Lundeberg, T. and Yu, L.-C.
Antinociceptive effects of calcitonin gene-related peptide injected into periaqueductal grey of rats with mononeuropathy (859) 358

Yamanaka, A., Kunii, K., Nambu, T., Tsujino, N., Sakai, A., Matsuzaki, I., Miwa, Y., Goto, K. and Sakurai, T.
Orexin-induced food intake involves neuropeptide Y pathway (859) 404
Yanamoto, H., Nagata, I., Sakata, M., Zhang, Z., Tohnai, N., Sakai, H. and Kikuchi, H.
Infarct tolerance induced by intra-cerebral infusion of recombinant brain-derived neurotrophic factor (859) 240
Yoshii, M., see Shiotani, T. (859) 255
Yoshikawa, M., Nakayama, H., Ueno, S., Hirano, M., Hatanaka, H. and Furuya, H.
Chronic fentanyl treatments induce the up-regulation of μ opioid receptor mRNA in rat pheochromocytoma cells (859) 217
Yu, L.-C., see Wang, J.-Z. (859) 361
Yu, L.-C., see Xu, S.-L. (859) 358

Zhang, W.R., see Wang, J.M. (859) 381
Zhang, Z., see Yanamoto, H. (859) 240
Zimmer, J., see Petersen, R. (859) 394